

FORMAT		
	TECHNICAL DATA SHEET FROZEN NARANJILLA PULP	Version: 2
		Valid since: January 28th, 2015
		Page:3 of 3

24 months if frozen (-18°C), and without interrupting the cold-chain.

IDENTIFICATION: BATCH – TRACEABILITY

Batch numbers specify product expiration date as follows: day (numbers), month (letters), year (numbers). The batch number is a code assigned by TROPIFRUIT GmbH & Co. KG to guarantee product traceability.

USE

This pulp can be used to prepare sauces, ice creams, desserts, etc., in accordance with the established formulations. To prepare juice, it is recommended to use a dilution of one part of pulp adding three parts of water or milk*, plus sugar according to consumer's taste. * SUGGESTED PREPARATION
Product suitable for population older than one year of age.

HANDLING AND TRANSPORTATION




The product is carried in cold storage (-18°C) vehicles which are suitable for food transportation and according to Colombian Resolution No. 002505-2004 standards. Once thawed the product must be consumed. Storage with other products that may alter the pulp's organoleptic characteristics or that may cause cross contamination should be avoided.
Avoid packaging material mishandling, as this packaging protects and maintains product quality.
Avoid exposing the product to direct sunlight.

HEALTH INFORMATION

Low-fat diets, rich in fruits and vegetables (foods which are low-fat and may contain dietary fiber, vitamin A or vitamin C) may reduce the risk of some types of cancer, a disease associated with multiple factors.

APPLICABLE COLOMBIAN REGULATIONS

Decree 60-2002 / Decree 3075-1997 / Resolution 2674-2013 / Resolution 3929-2013 / Resolution 5109-2005 / Resolution 333-2011 / Resolution 2505-2004 / Resolution 2971-2000 / Resolution 2906-2007 / Resolution 4506-2013 / Resolution 4143-2012 / NTC 4433 / Recommended International Code of Practice - General Principles of Food Hygiene (CAC/RCP 1-1969, Rev. 4-2003).

Prepared by	Reviewed by	Approved by
 Diego Urrego Vega	 Victoria Benítez Olaya	 Daniel Gaviria Valenzuela
Laboratory Head	Quality Control Director	Manager
		Approval Date 1 October 2015